



K25

ORIGINAL TACTICAL KNIVES

NOVITÀ 2024

**COLTELLI TATTICI
TACTICAL KNIVES**

Tactical Knives



K25

ORIGINAL TACTICAL KNIVES

■ 32692 [17 cm]
 Total: 30.3 cm
 Lama: Acciaio Inox.
 Rivestimento in titanio /
 Blade: Stainless steel.
 Titanium Coated
 7Cr17Mov
 Spessore Lama /
 Blade thickness:
 3.8 mm

■ 2232 [10 cm]
 Lama: Acciaio Inox /
 Blade: Stainless steel
 7Cr17Mov
 Spessore Lama /
 Blade thickness:
 3.2 mm
 Fodero: Velluto /
 Pouch: Velvet
 MOD. REGIST.
 ©Designed in Spain

Fodero Pelle
 con Pietra focaia /
 Leather Sheath
 with Fire starter

Regolabile /
 Adjustable

■ 32694 [19.4 cm]

Total: 32.9 cm

Spessore Lama /
Blade thickness:
5 mm

MOD. REGIST.

© *Designed in Spain*

■ 32686 [22.8 cm]

Total: 36.3 cm

Spessore Lama /
Blade thickness:
5 mm

MOD. REGIST.

© *Designed in Spain*



■ **32690** [6.3 cm]
Total: 13.5 cm
Spessore Lama /
Blade thickness: 2.8 mm
Manico / Handle: G10

■ **32691** [7 cm]
Total: 13.5 cm
Spessore Lama /
Blade thickness: 2.6 mm
Manico / Handle: G10

■ **32693** [12 cm]
Total: 24.7 cm
Spessore Lama /
Blade thickness: 3.8 mm
Manico: Gomma. Fodero: Nylon
Handle: Rubber
Sheath: Nylon

■ **32695** [25.5 cm]
Total: 38.2 cm
Spessore Lama /
Blade thickness: 5.8 mm
Manico: SFL-Gomma
Fodero: Pelle con Pietra
fociaia /
Handle: SFL- Rubber
Sheath: Leather with
Fire starter



Kydex

■ 32687 [11.5 cm]
Total: 23.8 cm
Spessore Lama /
Blade thickness: 3.8 mm
Manico: Gomma /
Handle: Rubber

■ 32670 [22 cm]
Total: 36.5 cm
Spessore Lama /
Blade thickness: 4.8 mm
Manico / Handle: G10

Fodero / Sheath:
ABS- Nylon

Molle
System

Apertura
rapida /
Quick release

Fodero / Sheath:
Nylon

Molle
System

- 18868 [10 cm]
Spessore della Lama /
Blade thickness: 3.9 mm
Fodero / Pouch: Nylon



- 32685 [37 cm]
Total: 52 cm
Spessore della Lama /
Blade thickness: 4.6 mm
Fodero / Sheath: Nylon

■ 32684 [15 cm]
Total: 28.5 cm
Spessore della Lama /
Blade thickness: 4.9 mm
Fodero: Pelle /
Sheath: Leather



■ 18867 [9.8 cm]
Spessore della Lama /
Blade thickness: 3.8 mm
Fodero / Pouch: Nylon





■ 18850 [9 cm]

Lama: Acciaio inox 7cr17MoV. Manico: G10 / Blade: Stainless Steel 7cr17MoV. Handle: G10



■ 18870 [9 cm]

Lama: Acciaio inox 7cr17MoV. Manico: Gomma / Blade: Stainless Steel 7cr17MoV. Handle: Rubber



■ 18871 [9 cm]

Lama: Copertura de Titanio. Manico: Gomma / Blade: Titanium coated. Handle: Rubber



■ 18869 [7.8 cm]

Lama: Copertura de Titanio. Manico: Alluminio / Blade: Titanium coated. Handle: Aluminium

Visibile al buio /
Visible in the dark



■ 18865 [9.6 cm] -Clip-

Lama: Copertura negro. Manico: Alluminio Gommato / Blade: Black coated. Handle: Rubber coated Aluminium



■ 18866 [9.6 cm] -Clip-

Lama: Acciaio Inox 7Cr17Mov. Manico: Alluminio Gommato / Blade: Stainless steel 7Cr17Mov. Handle: Rubber coated Aluminium






25

ORIGINAL TACTICAL KNIVES

**COLTELLI TATTICI
TACTICAL KNIVES**



Start your Adventure!



25

ORIGINAL TACTICAL KNIVES

Fodero in Nylon /
Nylon Sheath

Vista posteriore /
Back View



■ 18715 [8.8 cm] - Clip -
Spessore lama /
Blade Thickness: 3.15 mm
MOD. REGIST. © *Designed in Spain*

Zona di selce /
Scarpe zone

■ 32554 [14.5 cm]
Totale 27.8 cm
Spessore lama /
Blade Thickness: 4.6 mm
MOD. REGIST. © *Designed in Spain*

Fodero in pelle con acciarino /
Leather Sheath with firestarter

Vista dall'alto /
Upper View

Zona di selce /
Scarpe zone

■ 32559 [19 cm]
Totale 32.3 cm
Spessore lama /
Blade Thickness: 4 mm
MOD. REGIST. © *Designed in Spain*

Fodero in pelle /
Leather Sheath

Fodero in pelle con acciarino /
Leather Sheath with firestarter

■ 32561 [6.5 cm]
Totale 13.5 cm
Spessore lama /
Blade Thickness: 2.8 mm

■ 32621
COLTELLO K25 ALASKA LAMA FISSA CM
11CM

MOD. REGIST.
© *Designed in Spain*

Leather Sheath
with firestarter

UPPER VIEW

Presentation:
Box with magnetic
closure



■ 18793
COLTELLO K25 ALASKA
CHIUDIBILE LAMA 9CM

MOD. REGIST.
© *Designed in Spain*

Nylon pouch

■ 32608
COLTELLO K25 LAMA
FISSA 13.2 CM



■ 32609
COLTELLO K25 LAMA
FISSA 13,2 CM



■ 32619
COLTELLO K25
LAMA FISSA 14CM



MOD. REGIST.
© Designed in Spain

MOD. REGIST.
© Designed in Spain

MOD. REGIST.
© Designed in Spain

■ 32380 [11.5 cm]
Totale 23.5 cm

■ 32392 [11.5 cm]
Totale 23.5 cm

■ 32391 [11.5 cm]
Totale 23.5 cm

■ 32499 [11.5 cm]
Totale 23.5 cm

Molle
System

MOD. REGIST.
© Designed in Spain,

MOD. REGIST.
© Designed in Spain,

MOD. REGIST.
© Designed in Spain,

MOD. REGIST.
© Designed in Spain,

MOD. REGIST. © *Designed in Spain*

■ 32377 [13.3 cm]
Totale 25.3 cm
Spessore Lama /
Blade Thickness:
5.8 mm

MOD. REGIST.
© *Designed in Spain*

■ 32378 [13.3 cm]
Totale 25.3 cm
Spessore Lama /
Blade Thickness: 5.8 mm

MOD. REGIST.
© *Designed in Spain*

■ 32261 [10.8 cm]
Totale 23.5 cm
Spessore Lama /
Blade thickness: 6 mm

Paracord

Apertura
rapida /
Quick release

■ 32278 [12.3 cm]
Totale: 25.5 cm
Spessore Lama / Blade thickness: 5.5 mm

MOD. REGIST.
© Designed in Spain,

PARACORD

■ 32260 [12.5 cm]
Totale 25.5 cm
Spessore Lama / Blade thickness: 5 mm

MOD. REGIST.
© Designed in Spain,

PARACORD

■ 32279
Totale: 27 cm
Spessore Lama / Blade thickness: 5.5 mm

MOD. REGIST.
© Designed in Spain,

PARACORD

Apertura rapida / Quick release

Apertura rapida / Quick release

Apertura rapida / Quick release



25
ORIGINAL TACTICAL KNIVES

Scarpe zone



ARMY - K.47
K25
COATED LAMA 13CM

Leather Sheath
with Firestarter

■ 32620
COLTELLO K25 LAMA FISSA TITANIUM
COATED LAMA 13CM

MOD. REGIST. © *Designed in Spain*

■ 32629
COLTELLO K25 LAMA
FISSA 16.3 CM

■ 31910 [12.5 cm]
Totale: 25.6 cm
Spessore Lama /
Blade thickness: 5 mm
Manico: Gomma /Handle: Rubber

■ 32165 [11.5 cm] Totale: 24.5 cm
Spessore Lama / Blade thickness: 5 mm
Manico: Alluminio Con corda /
Handle: Aluminium Cord wrapped



MOD. REGIST.

© *Designed in Spain*

- 32376 [10.8 cm]
Totale 26.8 cm
Spessore Lama /
Blade Thickness:
3.9 mm

- 31574 [12 cm]
Totale: 23.5 cm
Spessore Lama /
Blade thickness: 3.8 mm

- 31824 [13.5 cm]
Totale: 25 cm
Spessore Lama /
Blade thickness: 3.8 mm

- 32338 [13.7 cm]
Totale 25.7 cm
Spessore Lama /
Blade Thickness: 4 mm



- 32292 [9.3 cm]
Totale 20.6 cm
Spessore lama /
Blade thickness: 5 mm
Manico: Alluminio /
Handle: Aluminium



Apertura
rapida /
Quick
release



- 32193 [12.8 cm]
Totale: 23.7 cm
Spessore lama /
Blade thickness:
4 mm
Manico: Gomma /
Handle: Rubber

- 31891 [12.3 cm]
Totale: 25 cm
Spessore lama /
Blade thickness: 3.8 mm
Manico in gomma /
Rubber handle

Molle
System

■ 32268 [14 cm]
Totalee: 27 cm
Spessore lama /
Blade thickness: 4.2 mm



■ 32167 [14 cm] Totalee: 26.7 cm
Spessore lama
/ Blade thickness: 4.5 mm
Manico: Alluminio
/ Handle: Aluminium

Apertura
rápida /
Quick
release





10 25

*Leather Sheath
with Firestarter*

■ 32622
COLTELLO K25 COMMANDO
LAMA FISSA 17CM

Scarpe zone



*Presentation:
Box with magnetic closure*

Leather Sheath
with Firestarter

Scarpe zone

■ 32625
COLTELLO K25 COMMANDO
LAMA FISSA 14.5

MOD. REGIST. © *Designed in Spain*

Presentation:
Box with magnetic closure



- **32500** [10.8 cm] Totale: 20.8 cm
Spessore lama / Blade thickness: 3.9 mm.
Manico / Handle: G10



- **31800** [36 cm]
Totale: 49 cm
Spessore lama /
Blade thickness:
4.2 mm



- 32331 [6 cm] Totale: 12.4 cm
Spessore lama / Blade Thickness: 2.8 mm.



Kydex

- 32373 [7.2 cm] Totale: 14 cm
Spessore lama / Blade Thickness: 3.3 mm.



Kydex

- 32371 [7 cm] Totale: 14 cm
Spessore lama / Blade Thickness: 3 mm.



Kydex

- 32371 [7 cm] Totale: 14 cm
Spessore lama / Blade Thickness: 3 mm.

Kydex

- 32602 [7 cm]



Kydex

- 32466 [7 cm] Totale: 16.2 cm
Spessore lama / Blade Thickness: 3.1 mm.



fodero /
Sheath:
Kydex



- 32370 [7.2 cm] Totale 14 cm
Spessore lama / Blade Thickness: 3 mm.
Manico: Accero / Handle: Steel.



UN SOLO FILO / SINGLE EDGED

fodero /
Sheath:
Kydex



- 31898 [7.5 cm] Totale: 14.3 cm
Spessore lama / Blade thickness: 2.5 mm.
Manico / Handle: ABS



UN SOLO FILO / SINGLE EDGED

- 32375 [9.5 cm] Totale: 19.5 cm
Spessore lama / Blade Thickness: 4.5 mm.
Manico: Acciaio / Handle: Steel

fodero /
Sheath:
Kydex



- 32610 PORTACHIAVI
MULTIFUNZIONE 7CM
Multi-Functions Keyring





CNC

TECNOLOGÍA / TECHNOLOGY

Acciarino/
Scarpe zone

32569 [14.5 cm]
Totale 26 cm
Spessore lama: /
Blade Thickness: 4 mm
Manico: acciaio e G10
Handle: Steel and G10

Fodero in pelle
con acciarino/
Leather Sheath
with Firestarter

Presentazione:
Box con chiusura magnetica /
Presentation:
Box with magnetic closure

Fodero velluto /
Velvet Pouch

■ 18643 [8.5 cm]
Spessore lama /
Blade Thickness: 2.6 mm

■ 18642 [10.5 cm]
Spessore lama /
Blade Thickness: 3 mm

■ 18701 [9 cm]
Spessore lama /
Blade Thickness: 2.8 mm

■ 18722 [9.5 cm]
Spessore lama /
Blade Thickness:
3.3 mm

Presentazione:
Box con chiusura magnetica/
Presentation:
Box with magnetic closure

- 18234 [9 cm]
Spessore lama / Blade Thickness: 4 mm



- 18711 [8.5 cm]
Spessore lama / Blade Thickness: 3.3 mm
UN SOLO FILO / SINGLE EDGE



*Chiusura /
Closed*

*Fodero Nylon /
Nylon Pouch*

- 18710 [9 cm] - Clip -
Spessore lama / Blade Thickness: 3.3 mm
UN SOLO FILO / SINGLE EDGE



- 18323-A [8.9 cm] - Clip -
Spessore lama / Blade Thickness: 3.3 mm

UN SOLO FILO / SINGLE EDGED

- 18324-A [8.9 cm] - Clip -
Spessore lama / Blade Thickness: 3.3 mm

UN SOLO FILO / SINGLE EDGED

- 18325
Spessore lama / Blade thickness: 3.2 mm

- 18326 [8.6 cm]
Spessore lama / Blade thickness: 3 mm

- 10876 [8.5 cm]
Spessore lama / Blade thickness: 3 mm

- 19221 [8 cm]
Spessore lama / Blade thickness: 3 mm

■ 19443 [8.9 cm] Spessore lama / Blade thickness: 3 mm



■ 19451 [9.5 cm] -Clip- Spessore lama / Blade thickness: 2.9 mm



■ 19265 [9.5 cm] -Clip- Spessore lama / Blade thickness: 2.9 mm



■ 18319 [8.7 cm] - Clip - Spessore lama / Blade Thickness: 3.3 mm



■ 19936 [9.3 cm]
Spessore lama / Blade thickness: 3.7 mm



■ 18486 [9 cm]
Spessore lama / Blade thickness: 3.8 mm
Manico: Gomma Handle: Rubber
Fodero / Pouch: Nylon



- 19780 [8.5 cm] -Clip-
Spessore lama / Blade Thich. 2.7 mm
Manico / Handle :
Alluminio
e gomma /
Aluminium
and rubber



MOD. REGIST. © *Designed in Spain*

- 11074 [8 cm] Spessore lama / Blade thickness: 2.8 mm



- 18485 [9 cm]
Spessore lama / Blade Thickness: 2.85 mm



- 19127 [9 cm]
Spessore lama / Blade Thickness: 2.80 mm



- 19763 [9 cm] -Clip-
Spessore lama / Blade thickness: 2.7 mm



MOD. REGIST. © *Designed in Spain*

- 19801 [8.4 cm]
Spessore lama / Blade thickness: 2.7 mm
Manico: Alluminio / Handle: Aluminium.
Fodero / Pouch: Nylon



MOD. REGIST. © *Designed in Spain*



■ 18789
COLTELLO K25 PREDATOR II
LAMA 9.3CM



■ 19099 [9.5 cm] -Clip-
Spessore lama / Blade thickness: 3 mm.
Manico: Alluminio / Handle: Aluminium



■ 19996 [9.5 cm]
Spessore lama / Blade thickness: 4mm.



■ 19132
COLTELLO CHIUDIBILE TITAN COATED
LAMA CM 8.5

- 18203 [5.3 cm] -Clip-
Spessore lama / Blade thickness: 2.6 mm



- 18488 [6.5 cm] -Clip-
Spessore lama / Blade Thickness: 2.75 mm.



- 18644 [5 cm] -Clip-
Spessore lama / Blade Thickness: 2.6 mm



- 18680 [5 cm] -Clip-
Spessore lama / Blade Thickness: 2.6 mm



- 18743 [5.2 cm] - Clip-
Spessore lama / Blade Thickness: 2.3 mm
Colgante / Pendant: Kydex



Kydex

■ 18792
COLTELLO CHIUDIBILE
LAMA CM 8.8



■ 18720
COLTELLO K25 CHIUDIBILE
LAMA 5.4CM



■ 18775
COLTELLO K25 CHIUDIBILE
LAMA 5.8CM



■ 18774
COLTELLO K25 CHIUDIBILE
LAMA CM 5.8CM



Visibile al buio/ Visible in the dark

■ 19542 [7.8 cm]

Spessore lama / Blade thickness: 3 mm

Manico: Alluminio / Handle: Aluminium

■ 19760 [9.3 cm]

Spessore lama / Blade thickness: 3.4 mm

Manico: Alluminio / Handle: Aluminium

Inserto in gomma /
Rubber insertion

Visibile al buio/
Visible in the dark

■ 18808

COLTELLO SIROCO DOGIT
LAMA CM 9.3

Rubber insertion

Visible in the dark

■ 19220 [9.3 cm] -Clip- Spessore lama /
Blade thickness: 4 mm

Manico: Alluminio / Handle: Aluminium

■ 02130 [10.3 cm]
Totale: 23 cm
Spessore lama /
Blade Thickness: 2.7 mm

■ 2199
K25 BUTTERFLY
LAMA 10CM

■ 2200
K25 BUTTERFLY
LAMA 10CM

■ 02132 [10 cm]
Totale: 22.7 cm
Spessore lama /
Blade Thickness: 3.2 mm

■ 02131 [10.3 cm]
Totale: 23 cm
Spessore lama /
Blade Thickness: 2.7 mm

Regolabile/
Adjustable





■ 32463 [11.5 cm]
Totale: 23,9 cm

■ 31994 [16 cm]
Totale: 28,5 cm

■ 32336 [10.2 cm]
Totale: 23,4 cm



■ 32335 [10.2 cm]
Totale: 23,4 cm

■ 32413 [19.3 cm]
Totale: 33 cm

■ 32412 [19.3 cm]
Totale: 33 cm

Lama: Acciaio / Blade: Steel

- 36251 [9.8 cm]
Spessore lama / Blade thickness: 4 mm
Manico: Alluminio / Aluminium Handle.

MOD. REGIST. © *Designed in Spain*

Lama: Acciaio /
Blade: Steel

- 36252 [9.8 cm]
Spessore lama / Blade thickness: 4 mm
Manico: Alluminio / Aluminium Handle.

MOD. REGIST. © *Designed in Spain*

- 19964 [10.1 cm]
Spessore lama /
Blade thickness: 4 mm
Manico / Handle: SFL

Lama: Acciaio / Blade: Steel

MOD. REGIST. © *Designed in Spain*

- 32181 [15 cm]
Totale: 27.7 cm
Spessore lama / Blade thickness: 5 mm. Manico / Handle: SFL

Lama: Alluminio / Blade: Aluminium

MOD. REGIST. © *Designed in Spain*

- 32182 [15 cm]
Totale: 27.7 cm
Spessore lama / Blade thickness: 5 mm
Manico / Handle: SFL

Lama: Alluminio / Blade: Aluminium

MOD. REGIST. © *Designed in Spain*

Apertura rapida /
Quick release

- 32192 [12.5 cm]
Totale: 23 cm.
Spessore lama / Blade thickness: 4 mm
Manico: Gomma / Handle: Rubber

Lama: Alluminio / Blade: Aluminium

MOD. REGIST. © *Designed in Spain*

- 32191 [12.5 cm]
Totale: 23 cm.
Spessore lama / Blade thickness: 4 mm
Manico: Gomma / Handle: Rubber

Lama: Alluminio / Blade:
Aluminium

MOD. REGIST. © *Designed in Spain*

■ 90044
100 x 30/50 x 223 cm]

VITRINA-EXPOSITOR / DISPLAY CABINET

■ 90041 [17.5 x 21.5 x 31 cm]
Espositore per coltelli.
Multiposizione /
Cutlery display. Multiposition



Fotografia: suggerimento di uso. Articoli non inclusi /
Picture: Suggested use. Fixed and folding knives not
included



■ 90147 [50 x 30 x 70 cm]
ESPOSITORE GIREVOLE IN METALLO /
METAL ROTARY DISPLAY CABINET

Fissaggio magnetico /
Magnet fixing



- Illuminazione con 3 LED /
3 LED lighting
- Serratura con chiave /
Door lock

- Capacità aprox.: 30 articoli per lato /
Approx. capacity: 30 items on each side
- Serratura con chiave / Door lock
- Include 60 imanes / 60 magnets included